



G DAS



G Das Industries Ltd.

Quality Aluminium Profile Manufacturer

- **MILL FINISH**
- **ANODIZING**
- **POWDER COATING**
- **WOOD EFFECT**

www.gdasindustries.com



G DAS

G Das Industries Ltd.

Quality Aluminium Profile Manufacturer

ABOUT G DAS

With the vast experience of international market with the reputed Steel, Sugar and Cotton industries we would like to draw your attention to our newly launched aluminium extrusion company located in Jinja called G Das Industries limited.

The year 2019 has witnessed the birth of one of the most technologically advanced manufacturers of extruded aluminium products in the region. with the record breaking 11 month of erection and commissioning G Das industries is ready to supply highly quality aluminium extrusion product in Uganda and East African Market with the capacity of 3500 ton per annum.

COMPANY PROFILE

The investments in technology made in recent years and our employees' high level of expertise have enabled us to offer a wide variety of aluminium extrusions and profiles that meet our customers' specific needs. Our reputation for excellence is based on quality and innovation.


Aside from the primary extrusion production, G Das Industries also provides a full-range of on-site services like powder coating, anodizing and wood effect, all in one roof, under our control. We focus primarily on producing superior quality products and finishing with high precision tolerances.

Competitively priced, our aluminium profiles are supplied for various markets including architectural, consumer products, transportation and industrial products. All our products comply with UNBS and ISO standards.

The company's workforce, who consists of about 100 skilled engineers, operators and administrative staff, ready to serves customers in different countries off East Africa. Therefore, if you're looking for finished aluminium extrusions, including powder coated, anodised, and wood effect profiles, then G Das Industries is your smart choice who can supply the right specifications for all your aluminium extrusions needs.




PARTICULAR	PAGE NO.
76/116 (2/3 TRACK) SLIDING DOOR / WINDOW SERIES	4- 8
DOMAL SERIES	9
100/76 SLIDING DOOR / WINDOW SERIES ASSEMBLY	10
100/76 SLIDING DOOR / WINDOW SERIES	11-13
1001 PREMIUM SLIDING DOOR / WINDOW SERIES	14-17
TWO RAIL / THREE RAIL SLIDING DOOR SERIES	18-19
SLIDING WINDOW / DOOR SERIES	20-22
20MM WINDOW AFFORDABLE SERIES	23
6000 DOOR SERIES ASSEMBLY	24
6000 DOOR SERIES	25-28
44 COLOUMN DOOR SERIES	29-31
3500 SERIES SLIDING NETS	32
30 / 42 PROJECTION / OPENABLE WINDOW SERIES	33
50 PROJECTION / OPENABLE WINDOW SERIES	34
HUNG SERIES	35
SHOP FRONT / PARTITION SERIES	36-39
JOINT / CONNECTION SERIES	40-41
RECTANGULAR TUBE SERIES	42
SQUARE & ROUND TUBE SERIES T ANGLE & FLAT BAR	43
L & U SECTION SERIES	44
CORNER / DISPLAY SERIES	45
CURTAIN WALL SERIES	46



Weight Tolerance $\pm 5\%$
All dimensions are in mm.




VENT MIDDLE EURO




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 5001	5.5	1.20

MESH NET




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 5003	2.8	1.0

CLIP




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3005	1.1	1.0

SHUTTER (DOUBLE GLAZE)




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 5007	4.5	1.2

MESH NET MIDDLE



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 5009	3.8	1.20

VENT EURO




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 5011	5.0	1.20
GDIL 5012	6.2	1.50

Weight Tolerance $\pm 5\%$
All dimensions are in mm.




EURO CLIT ANGLE




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 5013	5.2	2.00

3 TRACK EURO




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 5015	8.0	1.50

3 TRACK EURO




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 5016	6.4	1.20
GDIL 5017	7.4	1.50
GDIL 5017/A	9.0	1.50 (O.A.)
GDIL 5018	8.6	2.00
GDIL 5018/A	10.5	2.00 (O.A.)

EURO SHUTTER




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 5019/A	4.1	1.00
GDIL 5019	4.6	1.20
GDIL 5020	5.4	1.50
GDIL 5020-A	7.0	2.00

EURO MIDDLE




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 5021	3.6	1.20

EURO INTERLOCK




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 5023	2.3	1.20
GDIL 5024	2.5	1.50


Weight Tolerance $\pm 5\%$
All dimensions are in mm.

EURO MESH NET



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 5025	1.0	1.50

SHUTTER CONNECTOR



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 5027	1.4	1.20

VENT PARTITION SINGLE



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 5029	7.8	1.20
GDIL 5030	9.3	1.50

VENT PARTITION DOUBLE


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 5031	7.9	1.20
GDIL 5032	9.6	1.50

CLIP


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1023	0.75	0.80


2 TRACK EURO


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 5033	4.8	1.50
GDIL 5033/A	5.4	2.00

Weight Tolerance $\pm 5\%$
All dimensions are in mm.




2 TRACK EURO



Product Code	Weight Range (kg/6.4mtr)	Thickness (mm)
GDIL 5034	5.4	2.00
GDIL 5034/A	4.8	1.50


VENT PARTITION EURO



Product Code	Weight Range (kg/6.4mtr)	Thickness (mm)
GDIL 5035	4.9	1.20


NEW EURO OVERLAP

2 TRACK EURO




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 5037	5.5	1.30
GDIL 5038	6.8	1.50

MESH TRACK




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 5039	2.15	1.5


Weight Tolerance $\pm 5\%$
All dimensions are in mm.

**2 TRACK**


Product Code	Weight Range (kg/6.4mtr)	Thickness (mm)
GDIL 5501	7.0	1.3

MESH TRACK


Product Code	Weight Range (kg/6.4mtr)	Thickness (mm)
GDIL 5503	1.45	1.2

SHUTTER


Product Code	Weight Range (kg/6.4mtr)	Thickness (mm)
GDIL 5505	5.45	1.2

INTERLOCK

Product Code	Weight Range (kg/6.4mtr)	Thickness (mm)
GDIL 5507	2.1	1.1


CLIP

Product Code	Weight Range (kg/6.4mtr)	Thickness (mm)
GDIL 5509	1.7	1.3

MESH NET

Product Code	Weight Range (kg/6.4mtr)	Thickness (mm)
GDIL 5511	2.275	1.2


Weight Tolerance $\pm 5\%$
All dimensions are in mm.



Weight Tolerance $\pm 5\%$
All dimensions are in mm.




3 TRACK TOP & SIDE




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2001	6.5	1.20

3 TRACK BOTTOM



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2003	8.4	1.20

TOP RUNNER




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2005	3.2	1.20

BOTTOM RUNNER




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2007	5.2	1.40

HANDLE




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2009	3.1	1.20

INTERLOCK




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2011	4.5	1.20


Weight Tolerance $\pm 5\%$
All dimensions are in mm.

3 TRACK TOP & SIDE



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2013	5.4	1.20

3 TRACK BOTTOM



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2015	7.2	1.20

2 TRACK TOP & SIDE



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2017	4.5	1.20

2 TRACK BOTTOM


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2019	4.8	1.20


ADAPTER


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2021	1.9	1.40


MIDDLE


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2023	4.8	1.20

Weight Tolerance $\pm 5\%$
All dimensions are in mm.

MESH NET



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2025	2.5	1.20

LOUVER CHANNEL



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2027	1.3	1.20

LOUVER CHANNEL



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1544	1.6	1.20

LOUVER CHANNEL


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2031	1.9	1.10


2 TRACK SIDE & TOP


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2033	4.2	1.2


2 TRACK BOTTOM


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2035	4.6	1.2


Weight Tolerance $\pm 5\%$
All dimensions are in mm.




Weight Tolerance $\pm 5\%$
All dimensions are in mm.

2 TRACK TOP WITH VENT



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1001	7.0	1.20

2 TRACK BOTTOM



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1003	7.1	1.20

2 TRACK BOTTOM



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1005	6.0	1.20

2 TRACK SIDE


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1007	3.8	1.20

TOP RUNNER


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1009	3.5	1.20


BOTTOM RUNNER


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1011	3.4	1.20

Weight Tolerance $\pm 5\%$
All dimensions are in mm.




LOCKING




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1013	4.2	1.20

ADAPTER




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1015	0.45	1.00

INTERLOCK




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1017	4.2	1.20

MESH NET




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1019	1.9	1.10

SIDE COVER



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1021	2.3	1.00

CLIP




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1023	0.75	0.80

Weight Tolerance $\pm 5\%$
All dimensions are in mm.




ADAPTER




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1025	2.1	1.20

TOP VENT




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1027	3.7	1.20

VENT MIDDLE




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1029	5.3	1.20

2 TRACK TOP




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1031	5.6	1.20


Weight Tolerance $\pm 5\%$
All dimensions are in mm.




Weight Tolerance $\pm 5\%$
All dimensions are in mm.




Weight Tolerance $\pm 5\%$
All dimensions are in mm.

2 TRACK TOP SLIDING



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2501	4.5	1.45

BOTTOM SHUTTER


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2503	4.6	1.35

TOP SHUTTER



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2505	4.7	1.35

2 TRACK FRAME


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2507	5.2	1.45

3 TRACK TOP SLIDING


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2509	8.1	1.80


BOTTOM


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2511	4.1	1.40

Weight Tolerance $\pm 5\%$
All dimensions are in mm.




BOTTOM




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2513	2.7	1.4

BOTTOM




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2515	3.7	1.45

ADOPTER




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2021	2.3	1.5

INTERLOCK




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2519	4.1	1.45

TRANSOME



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2521	5.8	2.0

3 TRACK FRAME




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2523	7.1	1.50

Weight Tolerance $\pm 5\%$
All dimensions are in mm.




SHUTTER WITH CHANNEL




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2525	4.5	1.4

TRACK ATTACHMENT



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2527	1.2	1.40


MESH NET



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2529	1.4	1.3




TRACK BOTTOM




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1101	3.1	1.20

TRACK SIDE




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1103	2.65	1.0

TRACK TOP




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1105	3.6	1.0

SHUTTER




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1107	3.65	1.2

HANDLE




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2525	4.5	1.4

INTERLOCK




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 2519	4.1	1.5


Weight Tolerance $\pm 5\%$
All dimensions are in mm.




Weight Tolerance $\pm 5\%$
All dimensions are in mm.

DOOR FRAME



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6001	8.6	1.50
GDIL 6002	11.0	2.00

DOOR CLIP



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6003	1.4	1.20

DOOR SHUTTER



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6005	5.8	1.30

MEETING SECTION


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6007	4.3	1.50


40-SHUTTER


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6009	6.5	1.50


40-FRAME


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6011	4.0	1.30


Weight Tolerance $\pm 5\%$
All dimensions are in mm.

40 MIDDLE



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6013	4.5	1.30

40 MIDDLE



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6015	6.6	1.30

40 MIDDLE



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6017	6.8	1.30

DOUBLE FRAME


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6019	10.0	1.50


DOOR MIDDLE


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6021	7.3	1.30


DOOR BOTTOM


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6023	9.1	1.50

Weight Tolerance $\pm 5\%$
All dimensions are in mm.

MESH NET SHUTTER



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6029	4.6	1.30

DOOR SHUTTER



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6031	6.4	1.30

KICK PLATE



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6033	1.8	1.40

FLAT BEADING


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6035	0.9	2.90


MESH NET BOTTOM


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6037	4.4	1.20


DOUBLE FRAME BOX


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6039	4.1	1.50


Weight Tolerance $\pm 5\%$
All dimensions are in mm.

DOOR GLAZING CLIP



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6041	1.0	1.30

CLIP


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6043	1.2	1.10

CLIP



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6045	1.3	1.0



Weight Tolerance $\pm 5\%$
All dimensions are in mm.




DOOR TOP




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6101	5.6	1.50
GDIL 6102	8.6	2.60

DOOR BOTTOM



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6105	7.1	1.50
GDIL 6106	11.2	2.60

DOUBLE BRUSH




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6109	5.7	1.50
GDIL 6110	9.0	2.60

TRANSOME




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6113	7.6	1.50
GDIL 6114	11.7	2.60

SINGLE BRUSH



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6117	6.0	1.50
GDIL 6118	9.4	2.60

CLIP




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6119	0.90	0.80
GDIL 6120	1.35	1.20

Weight Tolerance $\pm 5\%$
All dimensions are in mm.



DOOR FRAME




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6121	4.9	1.20

OUTER FRAME




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6123	7.6	1.45

GLASS BOTTOM




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6125	11.8	2.0

G SECTION




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6127	4.6	2.0

DOOR MIDDLE




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6129	5.25	1.20


Weight Tolerance $\pm 5\%$
All dimensions are in mm.

SLIDING NET SECTION


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3501	1.7	1.00

OUTER FRAME



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3503	1.7	1.00

SLIDING NET


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3505	3.35	1.0




30 - H FRAME




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4001	3.5	1.40

BEADING




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4005	1.0	1.00

42.0 OUTER FRAME




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4009	3.7	1.50

BEADING




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4013	1.5	1.20

30 - MULLION




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4003	4.3	1.50

30 - Z FRAME




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4007	3.3	1.40

42.0 MULLION




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4011	4.0	1.50


Weight Tolerance $\pm 5\%$
All dimensions are in mm.

DOOR GLAZING CLIP



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4020	5.2	1.5

TRANSOME



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4022	5.2	1.5

CLIP



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4024	1.15	1.0

PJ OUTER FRAME



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4028	3.2	1.50

CLIP


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4030	1.35	1.1

CLIP


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4034	1.95	1.30


OUTER FRAME


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4032	4.4	1.30

Weight Tolerance $\pm 5\%$
All dimensions are in mm.




CLIP




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4040	1.5	1.2

MULLION




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4042	3.95	0.8

MULLION




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4044	4.7	1.1

MIDDLE




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4046	7.7	1.2

Z SECTION




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4048	3.32	1.0

OUTER




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4050	4.5	1.0

Z SECTION




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 4052	3.6	1.0


Weight Tolerance $\pm 5\%$
All dimensions are in mm.

DOUBLE PARTITION



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3001/A	3.95	1.00
GDIL 3001	4.6	1.20

OUTER FRAME



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3003	4.1	1.20

CLIP



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3005	1.1	1.00

DOUBLE PARTITION


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3007	5.45	1.20

SINGLE PARTITION


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3009	3.8	0.90


CLIP


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6120	1.35	1.20

Weight Tolerance $\pm 5\%$
All dimensions are in mm.




MIDDLE




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3015	6.4	1.20

DOUBLE PARTITION




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3017	4.5	1.00

DOOR FRAME




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3019	7.0	1.50

SINGLE PARTITION




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3021/A	3.8	1.00
GDIL 3021	4.4	1.20

100 SINGLE PARTITION




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3023	7.0	1.20
GDIL 3024	8.7	1.50

100 DOUBLE PARTITION




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3025	7.6	1.20
GDIL 3026	9.3	1.50


Weight Tolerance $\pm 5\%$
All dimensions are in mm.

80 SINGLE PARTITION



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3027/A	6.1	1.20
GDIL 3027	7.2	1.50
GDIL 3028	8.9	2.00

80 DOUBLE PARTITION



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3029/A	7.2	1.20
GDIL 3029	8.1	1.50
GDIL 3030	9.6	2.00

BEADING



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3031	1.95	1.00

CLIP


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3033	0.9	1.00


MESH NET


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3035	1.35	1.20


SINGLE PARTITION


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3037	5.7	1.20


Weight Tolerance $\pm 5\%$
All dimensions are in mm.

GLAZE PLATE



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3039	1.50	1.20

GLAZING CLIP



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3041	0.8	0.8

CORNER PARTITION



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3043	6.0	1.30

SQURE PARTITION



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3045	7.55	1.20

BUTTERFLY



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6502	2.2	1.20
GDIL 6503	2.8	1.50

BEADING


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6119	0.9	0.8

DOOR STOPPER


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6505	1.3	1.50

CONNECTION


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6507	3.1	0.80
GDIL 6508	4.0	1.20

CONNECTOR


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6509	5.9	1.20


BUTTERFLY


Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6511	1.0	1.00

Weight Tolerance $\pm 5\%$
All dimensions are in mm.



CLIP




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6513	0.85	1.00

KICK PLATE




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6215	6.6	4.0

LOUVER



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6515	1.9	1.20

BUTTERFLY




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6519	1.10	1.00

PULL PLATE



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6213	8.7	3.50

SUN BRAKER




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 6211	7.8	1.50

Weight Tolerance $\pm 5\%$
All dimensions are in mm.



RECTANGULAR TUBE




Product Code	Size (A x B)	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 7001/A	100 x 44	5.8	1.10
GDIL 7001	100 x 44	6.3	1.20
GDIL 7002	100 x 44	7.4	1.50
GDIL 7003	100 x 44	10.3	2.00
GDIL 7004	100 x 44	15.8	3.00
GDIL 7007	100 x 25	6.4	1.40
GDIL 7009	80 x 40	5.0	1.20
GDIL 7010	80 x 40	6.7	1.50
GDIL 7011	80 x 40	8.6	2.00
GDIL 7012/A	76 x 44	4.4	1.00
GDIL 7012	76 x 44	5.2	1.20
GDIL 7013/A	76 x 44	6.5	1.50
GDIL 7013	76 x 44	8.5	2.00
GDIL 7015	76 x 25	5.2	1.40
GDIL 7016	76 x 25	4.50	1.20
GDIL 7017	50 x 25	3.25	1.20
GDIL 7017/A	50 x 25	4.10	1.50
GDIL 7019	90 x 25	5.80	1.40
GDIL 7021	38 x 25	2.65	1.20
GDIL 7023	60 x 40	5.50	1.50
GDIL 7025	90 x 50	6.20	1.20
GDIL 7027	90 x 40	5.60	1.20
GDIL 7029	150 x 50	18.1	2.60
GDIL 7030	150 x 50	13.2	1.80

Weight Tolerance $\pm 5\%$
All dimensions are in mm.




SQUARE TUBE




Product Code	Size (A x B)	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 7101	20 x 20	1.7	1.20
GDIL 7103	25 x 25	2.2	1.20
GDIL 7105	40 x 40	4.3	1.50
GDIL 7107	80 x 80	11.65	2.10
GDIL 7109	100 x 100	16.9	2.40

ROUND TUBE




Product Code	Size ID (Ø)	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 7201	13	1.25	1.50
GDIL 7203	22	1.3	1.00

FLAT BAR



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1740	2.1	3.00

T ANGLE




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1631	1.45	1.60


Weight Tolerance $\pm 5\%$
All dimensions are in mm.




ANGLE BAR



CLIT ANGLE




CURTAIN WALL ANGLE



Product Code	Size (A x B)	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1315	15 x 15	0.85	1.50
GDIL 1320	20 x 20	0.93	1.25
GDIL 1325	25 x 25	1.85	2.00
GDIL 1338	38 x 38	3.3	2.50
GDIL 1340	40 x 40	6.3	4.50
GDIL 1420	20 x 30	1.8	2.00
GDIL 1425	25 x 50	4.0	3.00
GDIL 1351	50 x 50 (CLIT)	6.0	2.40
GDIL 1353	66 x 66 (CLIT)	7.8	1.20

U CHANNEL



Product Code	Size (A x B)	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 1510	10 x 10	0.60	1.00
GDIL 1540	40 x 20	2.10	1.50
GDIL 1544	15 x 44	1.6	1.20
GDIL 1531	31.5 x 47.3	3.8	1.90
GDIL 1522	22.5 x 10	0.8	1.00
GDIL 1552	52 x 25	1.8	1.00
GDIL 1577	77 x 25	2.35	1.00

Weight Tolerance $\pm 5\%$
All dimensions are in mm.



27 CORNER

Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3201	1.85	0.90

115 CORNER

Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3203	11.0	1.80

78 CORNER

Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3205	7.5	1.20

78 CORNER

Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3207	6.5	1.20

CORNER PROFILE

Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3209	6.6	1.35

SLIDING SIDE/TOP

Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3211	1.45	0.8

BOTTOM

Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3213	2.10	1.10

RAIL

Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3215	1.70	1.60

SHUTTER

Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3217	1.75	1.40

Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 3219	4.85	1.50

Weight Tolerance $\pm 5\%$
All dimensions are in mm.




PRESSURE PLATE




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 9501	3.4	2.50

COVER PLATE




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 9503	1.8	1.20

CURTAIN WALL




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 9505	9.3	2.00
GDIL 9506	12.1	3.00

CURTAIN WALL




Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 9507	11.2	2.00
GDIL 9508	15.2	3.00

SHUTTER



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 9509	3.9	1.50

SHUTTER



Product Code	Weight (kg/6.4mtr)	Thickness (mm)
GDIL 9510	4.0	1.50

Weight Tolerance $\pm 5\%$
All dimensions are in mm.



G DAS

G Das Industries Ltd.

Quality Aluminium Profile Manufacturer





G Das Industries Ltd.

Quality Aluminium Profile Manufacturer

- *MILL FINISH*
- *ANODIZING*
- *POWDER COATING*
- *WOOD EFFECT*

Factory :
Block 295 (Model Farm) Plot - 321, 498 - 504, 506,
Kyaggwe, Mbiko, Njeru, P.O. Box - 1069, Jinja, Uganda

+256 756 406 666 / +256 707 776 600

info@gdasindustries.com

www.gdasindustries.com

Kampala Outlet :
Plot 155-165, Sixth Street,
Next to CHINT Electronics,
Kampala, Uganda

+256 757 614 545

+256 707 776 600 / 3

+256 707 776 602